
XENUM - Beneson








Promo movie

HISTORY

- 1988 1993 technical & product management @ Marly
- 1993 1998 BP / DUCKHAMS
- 1998 MARLY 2004 Peter Tossyn owner
- 2005 2007 PUTOLINE Peter Tossyn owner
- 2005 XENUM started from a blank sheet of paper

Currently 26 Countries



XENUM ADVANTAGES

- Unique technologies
- Wide range products for professionals
- Upper side of the market
- Trend setting
- Outstanding image
- Clever marketing



MAIN PRODUCTS

- ADDITIVES
- OILS
- LUBRICANTS
- SPRAYS
- VARIOUS

ADDITIVES



WHAT IS THE USE OF ADDITIVES !

Additives have lifetime extending and/or fuel consumption reducing function.

Such as:

- Cleansing
- Greasing (prevention of wear and tear)
- Corrosion protection
- Prevention of deposits (contamination)
- Neutralisation of water
- Fuel saving or decreased oil consumption
- Less emission of smoke or other harmful emission gasses
- Repairing features



STANDARD FUEL, WE USE FOR REFUELLING, ALSO CONTAIN ADDITIVES

Oil & gas companies use marketing for special fuels with features as lower consumption, better performance and cleaner combustion, but these are mainly very expensive fuels.

In addition these fuels cannot completely prevent the contaminations that occur by combustion, especially not on the long run.

In current market conditions, end customers strive to refuel at lowest cost. The cheaper the fuel the lower the amount of additives.



CAUSES OF CONTAMINATION

Incomplete combustion caused by mainly short distance drives (city cars) or garaged cars (classics or fun cars).

Modern environment requirements. Continuous higher requirements have as disadvantage that modern engines become more receptive for contamination.

Injection engines usually inject fuel directly to the inlet valve causing deposits on the valve edges.

In Crankcase ventilation and espicially Emission Gas Regenaration systems (EGR) oil vapors and combustion residue are being pumped in the engine. Current engine technologgy (driven by strict envirionment regulations) cause subsequent issues/failures. A minor hitch of an injector or problem with inlet of air immediately causes a noticeable or visible (engine light) error.

LONGER SERVICE WINDOWS

Increasing effect of contamination caused by growing maintenance windows.



COMPLEX MODERN ENGINE TECHNOLOGY

Cleaning of internal engine contamination is, due to high hourly rates, too expensive.

Chemical cleaning by using fuel additives is by far the preferred method. 70% of errors are caused by incomplete combustion. By preventive internal cleaning of fuel engines, at service windows, errors will be minimized.

Chemical cleaning to repair contamination problems are widely accepted in workshops.

You will receive high customer satisfaction and increased margins.

CONCLUSION

Using additives prevents and repairs.

To be used at every service window



DIVISION OF ADDITIVES

- PETROL FUEL ADDITIVES
- DIESEL FUEL ADDITIVES
- ENGINE & TRANSMISSION ADDITIVES
- RADIATOR ADDITIVES











PETROL ADDITIVES

DIFFERENT PETROL ADDITIVES LISTED

- Complex Petrol System Cleaner: Cleaning, greasing & protection
- Petrol Multi Conditioner : Cleaning, greasing & protection (concentrated)
- : Strong cleaning, greasing & protection Ultimax Petrol Conditioner
- : Octane increaser Octane Booster
- Valvex Lead Substitute : Lead substitute

Cleaning, greasing & protection Octane booster

Lead substitue











DIESEL ADDITIVES

DIFFERENT DIESEL ADDITIVES LISTED

- Diesel Multi conditioner
- Ultimax Diesel Conditioner
- In & Out Cleaner
- DPF Pro
- X-Flush
- Diesel Anti-Smoke
- X-Treme Winter D

- Complex Diesel System Clean. : Cleaning, greasing & protection
 - : Cleaning, greasing & protection (concentrated)
 - : Cleaning, greasing & protection
 - : Cleaning, greasing & protection (high end)
 - : DPF/ turbo cleaning
 - : Diesel wash
 - : Emission gas additive
 - : Diesel anti-freeze

Cleaning, greasing & protection



DPF/turbo cleaning



Diesel wash



Emission Diesel gas additive anti freeze







OIL ADDITIVES

THREE CATEGORIES OIL ADDITIVES

Oil additives are divided in three categories:

- 1. ENGINE OIL ADDITIVES
- 2. TRANSMISSION OIL ADDITIVES
- 3. POWER STEERING FLUID ADDITIVE



ENGINE OIL ADDITIVES

DIFFERENT ENGINE OIL ADDITIVES LISTED

- VRX 500
- VX 300 / CE 300
- MoX-G
- Oil Stop Anti Burn
- Super Seal
- M-Flush
- XG-100K

- : Engine maintenance (high end)
- : Engine maintenance (mid/high end)
- : Engine maintenance
- : Oil consumption stop
- : Anti leak additive
- : Engine wash
- : Engine condition repairer

Engine maintenance



Oil consumption Anti leak stop



additive





Engine wash Engine condition repairer





TRANSMISSION OIL ADDITIVES

DIFFERENT TRANSMISSION OIL ADDITIVES LISTED

- VX Gear
- MG Gear
- Super Seal
- ATFX 200

- : Maintenance manual transmission (high end)
- : Maintenance manual transmission
- : Anti leak additive manual transmission
- : Maintenance ATF & CVT transmission

Maintenance manual transmission





Anti leak additive manual transmission





Maintenance ATF & CVT transmission



POWER STEERING FLUID ADDITIVE

• XP 100

: Maintenance & anti leak additive power steering systems





RADIATOR ADDITIVES

DIFFERENT RADIATOR ADDITIVES

- Restop
- R-Flush

- : Cooling system anti leak additive
- : Cooling system cleaner additive

Cooling system anti leak additive



Cooling system cleaner additive





WHAT ABOUT IN & OUT CLEANER??

- The premium product Xenum In & Out Cleaner is truly a diesel additive offering a perfect solution for i.e. a clogged DPF. However......
 - Too high soot value implies a non functioning engine that results in impossibility to threat with Xenum In & Out Cleanerl
 - Saturation of the DPF by too high ash value can only be resolved with DPF Flush.

For the heavily clogged DPF Xenum DPF reinigingsset is the solution.

CAUSES OF CLOGGED DPF

- Incomplete combustion due to short drives, traffic jams...
- Vicious circle: degenerated combustion > more particles

Complaints:

- Higher fuel consumption
- Turbulent engine
- Damage Engine



SOLUTIONS FOR HEAVY CONTAMINATION

- Replace DPF (expensive)
- Forced regeneration
 (No solution for heavy clogged DPF)
- Boiling of DPF
 (extensive process de-assembling > shipping to specialist company > re-assemble. Also very expensive)
- Xenum DPF Flush
- Aenum DFF Flush

XENUM DPF FLUSH

 The DPF FLUSH TOOL is a professional tool designed for usage of Xenum products:

Cleaning fluid: DPF FLUSH Step 1 (500ml) Follow up threatment fluid DPF FLUSH Step 2 (1L)



2-STEP CLEANING METHOD FOR CLOGGED DPF'S

 No dismantling of DPF or high replacement costs.

 Only dismantling of pressure or temperature sensor of DPF is sufficient to spray the cleaning fluid through the probe directly in the DPF.

TWO SORTS OF DPF'S

Active or passive regeneration results in 2 different filters

- Catalytic DPF (contains an oxidation catalyst)
- DPF without oxidation catalyst

CATALYTIC DPF

For DPF's with integrated catalyst (in assembled condition) the fluids DPF Flush Step 1 and Step 2 are to be injected in the temperature sensor in the middle of the housing (between the two filters).



Catalytic DPF (Oxidation catalyst + DPF)

- 1. DPF (Monolith)
- 2. Oxidation catalyst
- 3. Temperature sensor
- 4. Front pressure sensor
- 5. Back pressure sensor

DPF (WITHOUT CATALYST)

For DPF's without catalyst the fluids DPF Flush Step 1 and 2 are to be injected through the temperature sensor on the other side of the housing.




DPF

- 1. DPF (Monolith)
- 2. Temperature sensor
- 3. Lambda probe
- 4. Front pressure sensor
- 5. Back pressure sensor
- 6. Lambda probe

VIEW OF PROBE







NEW I-FLUX 200

Inlet system & EGR Cleaner

Improved results and look



I-FLUX FLUID

I-FLUX 100 CLEANING FLUID

Strong cleaning of:

- Inlet manifold;
- Throttle;
- EGR valve;
- Swirl valves;
- Inlet valve.

Advantages:

- Increases engine power;
- Safe against detonation;
- Steadier stationary rotations;
- Safe for DPF.



ADDITIVES HIGHLIGHTED



COMPLEX PETROL SYSTEM CLEANER

- Cleans and greases injectors, valves and full inlet system
- Protects inlet system agains corrosion
- Neutralises condensation water
- Suited for all petrol engines
- Can be used against issues or preventive
- Does not harm catalyst
- Less fuel consumption by exact dosing, good fumigation
- Engine regains original engine performance
- Steadier stationary rotations
- Increased life time
- Less emission of smoke or other harmful emission gasses



VALVEX LEAD SUBSTITUE

- Protects and greases valves and valve seats.
- Compliant running engine
- Improved reliability of the engine
- Self mixing



OCTANE BOOSTER

- More power and dynamics of engine.
- Compliant running engine
- Improved reliability of the engine
- Decreasing fuel consumption
- Self mixing



PETROL MULTI CONDITIONER ADVANCED MULTIFUNCTIONAL PETROL ADDITIVE

- Cleans and greases injectors, valves and fuel systems
- Protects the fuel system against corrosion
- Protects fuel from oxidating
- Neutralises water in the fuel tank.



VALVEX PROTECTION FLUID

- Greases and maintains a protecting barrier between valves and valve seats.
- Increases reliability by cooling valves and valve seats.
- Prevents long lasting issues



COMPLEX DIESEL SYSTEM CLEANER

- Increased power
- Lower fuel consumption
- Steadier stationary rotations
- Longer life time
- Less emission of smoke and other emission gasses and CO2
- Less maintenance and repair costs.
- Prevents deposits in the EGR system
- Prevents clogging and regenerates the DPF



DIESEL ANTI SMOKE ADVANCED MULTIFUNCTIONAL DIESEL ADDITIVE

- Improves combustion and increases the amount of oxygen during combustion.
- Decreases creation of black smoke from exhaust, especially soot parts.
- Increases performance of the engine en improves fuel consumption.
- Reduces diesel noises
- Cleans the injectors and combustion room.
- Improves fumigation of the fuel and the fuel / air mixture.
- Harmless for catalysts and DPF's
- Immediately active.



DIESEL MULTI CONDITIONER

- Increases the Cetane level.
- Protects the inlet system and EGR valve agains contamination and deposits.
- Increased power
- Less fuel consumption
- Steadier engine performance
- Increased life time and reliability
- Decreases soot and CO2 emission.



DPF PRO

- Increased power and lower fuel consumption
- Steadier stationary rotations
- Increased life time
- Less maintenance and repair costsn
- Maintains clean turbo compressor DPF
- Prevents clogging and regenerates DPF
- Decreases emission of smoke, other harmful emission gasses and CO2



IN & OUT CLEANER DIESEL PARTICLE FILTER & MULTIFUNCTIONAL CLEANING ADDITIVE

IN & OUT CLEANER oxidates the carbon deposits in the exhaust system and fully removes it. Cleans the DPF, cataly: and turbo compressor.

Actively cleans the injection system with exceptional effectivity. Cleans and prevents depostis in the complete fuel system. Such as tank, booster pump, high pressure pumt, debit control, common rail and fumigator.

- Increased power
- Fuel consumption reducing
- Steady stationary rotations
- Increases reliability of the engine, cleans the EGR, turbo compressor and DPF system
- Regenerates the DPF
- Decreases harmful emission and smoke



ULTIMAX DIESEL CONDITIONER

- Cleans and greases the injectors, fuel system and exhaust system. Keeps injectors, EGR and DPF clean.
- Accelerates passive regeneration of the DPF.
- Protects the fuel system against corrosion.
- Increases greasing features of diesel fuel with low sulfur level and protects the high pressure fuel pump against wear and tear.
- Prevents contamination and clogging of injectors.
- Neutralises water in the fuel tank
- Increased fuel efficiency by increased cetane level of the diesel fuel, results in steadier fuel combustion with increased power.
- Lower fuel consumption.
- Increased engine reliability
- Decreases the emission of smoke, harmful emission gasses and CO2.



X-Flush Diesel

X-Flush Diesel cleans fumigators, injection pump and combustion rooms and removes carbon depostis without disassembly.

This threatment resolves issues professionally, unless one of the fumigators is defect.

Clear result: The engine instantly runs smoother and strongly decreases the emission of soot and harmful emission. In addition it improves combustion, fuel consumption and power. Cleaner combustion prevents contaminating of the EGR system and on top of that it decreases deposits.



ATFX 200

- Improves shifting.
- Decreases wear and tear
- Protects sealing

Compatible with all OEM recommend ATF fluids used in automatic and CVT-transmission systems. Suitable for cars, trucks, motor bikes, boats and industrial engines.



M-FLUSH

- Cleans the greasing system and de-blocks hydraulic valve tappets, variable valve timers and rings.
- Prevents contaminating of fresh oil by residues.
- De-activates carter accids.
- Increases life time of oil.
- Improves performance of the engine.
- Decreases oil consumption.
- Decreases engine sounds.



MG GEAR

- Smoother shifting
- Improved performance
- Increased life time
- Reudction of transmission sounds



MOX-G

- Increased power
- Reduced fuel consumption
- Reduced wear and tear
- Reduction of engine sounds
- Decreased oil consumption.
- Decreased of C02 emission



OIL STOP ANTI BURN

- Decreases oil consumption
- Decreases exhaust smoke by combusting oil
- Decreases dilution of the oil by continious cold starts
- Increases compression ratio
- Improves oil pressure
- Reduces engine sounds
- Decreases sounds of the hydraulic valve tappet
- Harmless for catalyst



SUPER SEAL

Repairs oil leakages in engines, transmission and hydraulic systems. Contains active synthetic components which regerate sealings. Does not affect or changes greasing features of oil. Ends environmental pollutioning oil stains on the road or in the garage.

Repairs and prevents leakages caused by leakages in elastomer seals. Regenerates engine sealings of plastic and rubber. Prevents blue, smoking exhaust gass. Decreases oil consumption.



VX 300

New generation engine oil with performance enhancing features by using powerful technology of micro ceramic particles: these are very powerful solid greases with very low coefficient of friction and withstand the highest temperatures. This additive creates a very resistent protecting layer that significantly reduces wear and tear and friction, even when the engine is not running. This film stays on internal parts of the engine, which guarantees an optimal protection during cold start up.

- Increased power
- Fuel consumption reduction
- Reduction of wear and tear
- Reduction of engine sounds
- Decreased emission of harmful exhaust gasses
- Decreased oil consumption.
- Reduction of C02 emission



VX 500

- Increased power
- Fuel consumption reduction
- Reduced wear and tear
- Reduction of the engine sounds (also ticking tappets)
- Lower emission of harmful exhaust gasses
- Decreased oild consumption.
- Suitable for all modern petrol and diesel engines that contain newest technology as direct injection, common rail, turbo, catalyst.



RESTOP RADIATOR ANTI LEAK

- Preventive and curing funtion
- Greases and protects the complete cooling system
- Safe to use, full sealing
- Chanels will not clogg
- Compatible with all types cooling fluids and anti freeze
- Prevents limescale in cooling system
- Protects against corrosion and oxidating
- Greases the water pump and water valves
- Guaranteed good cooling



R-FLUSH RADIATOR CLEANER

- Removes limescale
- Prevents rust, deposits and greasy residues
- Excellent results with all sorts of cooling fluids, including OAT cooling fluid
- Safe for rubber hoses, seals and all metals in cooling system
- Repairs optimal performance of the cooling system



TECHNICAL SPRAYS





INTAKE PRO CLEANER

INLET SYSTEM CLEANER

For powerful and efficient cleaning of the inlet section:

- EGR valve
- Stationary control valve
- Throttle and housing
- Electronic Throttle Module (ETM)
- Inlet manifold, pressure sensor



BELT CONDITIONER

DESCRIPTION

Increases life time of belt. Prevents skid and squeak by heating, cold, dust and aging. Penetrates in the belt fibers and repairs the flexibility. Cleans, maintains and conserves.

USE

Universal usage for all V-, round-, flat and toothed belt in industrial, automotive, agricultural machines and boating maintenance.



C 1200+ ADVANCED CERAMIC COMPOUND

- Without aluminum, lead, copper, MoS2 en sulfur.
- Does not reacti with material of srew-thread
- Operating temperature: -40 ° C to +1200 ° C



CHAIN PRO SYNTHETIC CHAIN GREASE WITH CERFLON®

- Excellent greasing and protection in extreme conditions
- Excellent penetration
- Strong adhesive and resistance agains centrifugal powers.
- Remains on the chain and does not contaminate surrounding parts
- Water proff
- Perfect protection against corrosion.
- Strongly reduced friction through low coefficient of friction of the Cerflon® film.
- Less power loss, decreased wear and tear.
- Increased life time of the chain and gear.
- Resists extreme temperatures: -40° C to +250° C



DE-BLOCK SHOCK HIGH PERFORMANCE FREEZE & RELEASE SPRAY + CERFLON ®

- Greases and reduces friction of moving parts
- Resolves dirt and rust
- Excellent penetrating features
- Prevents sqeaking
- Protects againist rust and corrosion
- Water proof and represses moisture
- Seals inflammation systems
- Prevents electrical disfunction
- Degreases water repressing
- Free of silicons
- Universal in usage



D-GREASE CLEANER HIGH PERFORMANCE DE-GREASER BASED ON SOLVENT

- Universal usage
- Good penetration
- Controled fumigation, free of residues
- Solves resin and tar residues
- Removes oil and grease based contamination
- Leaves no residues
- Does not contain chlorine or acetone
- Economical in usage



MULTICLEANER FOAM MULTIFUNCTIONAL CLEANER

- Cleans and de-greases
- Quick dry
- Does not contain abrasive



SUPER 5.1 PENETRATING OIL SPRAY + CERFLON®

- Quickly active
- Long lasting greasing
- Prevents wear and tear and reduces friction through PTFE
- Protects against rust and corrosion
- Represses water, on elektrical components like ignition systems of petrol engines
- Easy and economical in usage
- Does not contain silicons



WELD PRO HIGH TEMPERATURE PROTECTIVE COATING FOR WELDING

- Easy to use spray can
- Rapidly air-drying coating
- Long lasting performanc
- Low thermical conduction



XC LUBE SYNTHETICAL TRANSPARANT GREASE WITH CERFLON®

High-end grease based on synthetical oil and Cerflon® fluorpolymer strengthend with Hexagonal Boornitride (hBN).

XC Lube is excellent for long lasting greasing, cleaning and protection of moving machine parts, like chains, installations and tools, hinch, transportation belts, precision instruments, bearings, printers etc. The product performces under extreme pressure, high temperaturs and high speeds.



X-CUT HIGH END CUT AND DRILL OIL

Excellent strong adhesive univeral oil for all metals. Protects and increases life time of cutting tools.



ZINCCOAT CORROSION PROTECTIVE COATING FOR ALL FERRO-METALS

Guarantees long lasting corrosion protection for all ferro-metals. Very high zinc level results in very high cathodical protection.

- Elektrical conduction.
- Non adhesive after15 minutes
- Completely dry and coatable after 12 to 24 hours.



C1400+ UNIVERSAL CERAMIC HIGH TEMPERATUR E GREASING PASTE

Universal ceramic high temperature greasing pasta. For screws, nuts, bolts that deal with high pressure and temperatures. Guarantees excellent protection against corrosion and wear and tear. Free of aluminum, copper, lead, MoS2 and sulfur.



MOTORSPORT

- Promotion
- Image
- Technical partnerships



GT3



F 3 GERMANY



KAMAZ MASTER



FAIRS

- XENUM image
- Demo
- Active recruiting




POINT OF SALES

(POS)

- Attraction of the client
- Information
- Different from competitors



CORPORATE IMAGE









RACKS

Stylistic & Practical XENUM branded racks for exposing of bigger quantities of products – a necessary reliable equipment for fitting-up stands at exhibitions or major retail sales points.

Easy to assemble&disassemble, compact for storage and transportation.

Dimensions:

1000 X 2400 mm (5 layers, standard)

Load:

60 kg / layer



BIG DISPLAY

Designed to give a good exposure to products in shops & workshops' areas and also to be functional – allows the different packages to be arranged compact.

Dimensions:

660 X 410 X 2045 mm

Load:

60 - 62 kg





SMALL DISPLAY

For a good exposure of techno chemicals - of small space.

Dimensions:

305 X 335 X 405 mm



LEAFLET-HOLDER

For a nice outlook and easy sorting of the A5 leaflets.









CASE-FOLDERS

Important image accessory for meetings, communications, correspondence, etc. Designed to hold number of materials, like 2-3 leaflets plus paper sheets/letterheads for notes.

Dense material & Showy design.

Size: A4



BLOCK NOTE A4

Specially designed stylistic XENUM block note for meetings, seminars and daily use. 50 pages of a nice quality.

BLOCK NOTE A6

Pocket size stylistic XENUM block note, handy in any case of daily use. 50 pages of a nice quality.






PEN

Fine quality from BIC: XENUM branded pen.

Nice and stylish gift for partners and visitors for everyday purpose.





BOX FOR KITS & PRESENTS

Effective tool for exhibitions and promocampaigns.

Size:

330 x 240 x 80 mm









OUTDOOR ADVERTISING



OUTDOOR ADVERTISING

FLAG

XENUM flag type M-Shark banner. Important attribute in designing outdoor or indoor events, which accomplishes an impressive exposure of the brand.

Height: 4 m





OUTDOOR ADVERTISING

STICKERS

XENUM logo stickers printed on polymer material, weather-proof. Suitable also for outdoor sticking on smooth surfaces - shop windows, cars, etc.

Normal & mirror type, for sticking from the inside outwards. Die cut window decals of a high quality for any outdoor purposes, maintaining good visibility.

Sizes:

Normal Type:

455 x 84 mm; 304 x 54 mm; 148 x 26 mm

Mirror Type:

445 x 165 mm; 304 x 110 mm; 148 x 54 mm

Die cut type:

300 x 20 mm; 400 x 40 mm; 600 x 50 mm - total length of the 2 pieces together













PRODUCT CATALOGUE

Marketing instrument of a great significance. Having all the products information on a classy printed stuff makes substantial advantage for everyone in any situation. Pre-press design&project for free.

Format A4, 32 pages





LEAFLET PROFESSIONAL

Specially designed, targeting professionals: shows the most innovative and advanced products for professional operations. For effective marketing communications with the pro audience.

Pre-press design&project for free.



Format A4, 6 pages








LEAFLET "HEAVY DUTY LINE"

Showy description of the HD specific range of XENUM, complementing one another with the product catalog. Developed to facilitate communications with fleet owners, workshops, etc.

Pre-press design&project for free.

Format A4, 4 pages





LEAFLET "NEX 10"

Particular professional and stylish accent on one of the most innovative XENUM top products; smartly designed to support the successful market introduction of the NEX10. Pre-press design&project for free.

Format A4, 2 pages

FLYER "In&OUT CLEANER"

Especially developed for the promotion and advertising of one of the best-sellers of XENUM: effective&efficient tool for any kind of activities, events and audiences targeted. Pre-press design&project for free.

Format A5, 1 pages













BODY WARMER

Fine quality from "HEROCK" - Belgium: Water-repellent body warmer with fleece collar, XENUM branded-white sign on the back (stamp/embroidery).

- 2 chest pockets with small pocket
- 3 pen pockets
- 1 Napoleon pocket
- 1 mobile phone pocket
- 2 side pockets with side openings
- 1 keyring
- 1 inner pen pocket
- 2 inner pockets
- Extra long back length
- Printer Zipper
- Removable zip-puller

Outer: 65% polyester - 35% cotton twill 230 g/m²

water-repellent surface coating

Inner: 100% polyester

Available sizes: S, M, L, XL, XXL, XXXL





TROUSERS

Fine quality from "HEROCK" - Belgium: Multi-pocket water-repellent trousers, adjustable waistband.

XENUM branded with white sign on the side pocket (stamp/embroidery).

- 2 side pockets
- 2 thigh pockets
- 1 ruler pocket
- 2 back pockets
- Extendable hem

65% polyester - 35% cotton twill 230 g/m² water-repellent surface coating

Available sizes:

38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64



FLEECE JACKET

Fine quality from "HEROCK" - Belgium: Breathable, water-repellent and windproof fleece jacket. XENUM branded, white sign on the front left and back (stamp/embroidery).

- Breathable 2000 mvp
- Waterproof 5000 mm
- Reinforced shoulder & elbow patches
- 1 chest pocket
- 2 side pockets
- Adjustable cuffs
- Elastic drawcord bottom

100%polyester, acti-fleece, anti-pilling 330g/m² Reinforcement fabric: 100% Oxford polyester 600D with water-repellent surface coating Pro-Reforce.

Available sizes:

S, M, L, XL, XXL, XXXL



SOFT SHELL JACKET

Fine quality from "HEROCK" - Belgium: Multi-pocket breathable, water-repellent and windproof softshell jacket. XENUM branded, white sign on the front

left and back (stamp/embroidery)

- Breathable 2000 mvp
- Waterproof 5000 mm
- Detachable hood
- 1 chest pocket
- 2 side pockets
- 1 sleeve pocket
- Adjustable cuffs
- Elastic drawcord bottom.

Bounded fabric 290 g/m²

Outer: 96% polyester - 4% Spandex Inner: 100% polyester micro-fleece.

Available sizes:

S, M, L, XL, XXL, XXXL



T-SHIRT

XENUM-branded T-shirt of a finest quality.

Composition:

100% organic combed cotton.


Available sizes:

S, M, L, XL




SUNGLASSES

Cool and Functional - XENUM style.





FOWER OF TECHNOLOGY



WWW.XENUM.COM

CAP

Fine quality from "HEROCK" - Belgium: XENUM style branded cap - 5 panels with buckle closure.

Composition:

100% heavy cotton twill brushed.

Universal size.





THANK YOU FOR YOUR ATTENTION

